




TRUMEX
INSTRUMENTS

OPHTHALMIC
SURGERY



WWW.TRUMEXINSTRUMENTS.COM

About Trumex Instruments

Trumex Instruments is a specialized manufacturer of high-precision ophthalmic and micro surgical instruments. With over 40 years of legacy in the surgical capital of Sialkot, Pakistan, our foundation is built on skilled craftsmanship, attention to detail, and strict quality control.

Our expertise lies in creating world-class instruments tailored for ophthalmologists, hospitals, and private surgical brands around the world. From single-use tools to custom OEM/ODM solutions, each Trumex instrument is hand-finished and quality-checked by experienced artisans.

Whether you're a practicing surgeon, medical distributor, or brand developer — we are committed to delivering surgical tools that reflect unmatched precision, balance, and durability.

- 40+ Years of Manufacturing Experience
- Located in Sialkot, Pakistan
- Focused on Ophthalmic & Micro Surgical Tools
- OEM & Custom Orders Supported

OPHTHALMIC INSTRUMENT CATEGORIES

◆ Forceps

- Colibri
- Capsulorhexis
- Tying
- Cilia
- Muscle
- Artery



◆ Scissors

- Vannas
- Westcott
- Corneal
- Capsulotomy
- Utility

◆ Needle Holders

- Titanium
- Stainless Steel
- Round Handle
- Flat Handle
- Locking Mechanism



◆ Speculums

- Lieberman (Closed/Open)
- Barraquer
- Adjustable
- Non-adjustable
- Wire Speculums

OPHTHALMIC INSTRUMENT CATEGORIES

◆ Choppers & Manipulators

- Phaco Choppers
- Manipulators
- Spatulas
- Repositors
- Hooks




◆ Extraocular & Lacrimal

- Ptosis Clamps
- Chalazion
- DCR
- Dilators
- Retractors

◆ Specialist & Accessories


- Calipers, Custom Designs, Miscellaneous



◆ Sterilization Trays



FORCEPS



TIPS




Toothed – grasping and holding tissue including muscle, tying sutures



Notched – for grasping and holding tissue (atraumatic), tying sutures (platform)



Platform for holding, tying and removing sutures



Serrated – general purpose – grasping tissue (atraumatic)



Plain – general purpose removing sutures

SHAFTS



Formed – accommodates natural curvature of crystalline lens



Cross action – for maximum opening of tip within small incision



Colibri for good visualisation and positioning of tip



Angled – for when access is restricted



Curved for when access is restricted



Straight – for when access is direct

OPH-0001 TI

CORNEAL FORCEPS COLIBRI TYPE, TITANIUM
 1×2 teeth, 0.1 mm height
 45 degree teeth
 Tips 0.3 mm wide
 3MM Tying Platform
 TC teeth and platforms
 Flat handle



Overall length 75 mm, 2.9 inches

OPH-0002 TI

CORNEAL FORCEPS COLIBRI TYPE, TITANIUM
 1×2 teeth, 0.1 mm height
 90 degree teeth
 Tips 0.3 mm wide
 3MM Tying Platform
 TC teeth and platforms
 Flat handle



Overall length 75 mm, 2.9 inches

OPH-0003 TI

TROUTMAN-BARRAQUER CORNEAL UTILITY
 FORCEPS (COLIBRI), TITANIUM
 1×2 teeth, 0.12 mm height
 45 degree teeth
 Tips 0.3 mm wide
 3MM Tying Platform
 TC teeth and platforms
 Flat handle



Overall length 75 mm, 2.9 inches

OPH-0004 TI

Castroviejo Colibri wide handle forceps
 with 0.12mm teeth, 5mm platform



Overall length 110mm

OPH-0005 **Ti**

TROUTMAN-BARRAQUER CORNEAL UTILITY
 FORCEPS (COLIBRI), TITANIUM
 1x2 teeth, 0.2 mm height
 45 degree teeth
 Tips 0.5 mm wide
 4MM Tying Platform
 TC teeth and platforms
 Flat handle



Overall length 75 mm, 2.9 inches

OPH-0006 **Ti**

TROUTMAN-BARRAQUER CORNEAL FORCEPS
 (COLIBRI TYPE), TITANIUM
 1x2 teeth, 0.2 mm height
 90 degree teeth
 Tips 0.5 mm wide
 4MM Tying Platform
 TC teeth and platforms
 Flat handle



Overall length 75 mm, 2.9 inches

OPH-0007 **Ti**

TROUTMAN-BARRAQUER CORNEAL UTILITY
 FORCEPS (COLIBRI), TITANIUM
 1x2 teeth, 0.4 mm height
 45 degree teeth
 Tips 0.6 mm wide
 5MM Tying Platform
 TC teeth and platforms
 Flat handle



Overall length 75 mm, 2.9 inches

OPH-0008 **Ti**

TROUTMAN- BARRAQUER CORNEAL FORCEPS
 COLIBRI TYPE, TITANIUM
 1x2 teeth, 0.4 mm height
 90 degree teeth
 5mm tying platforms
 Tips 0.6 mm wide
 TC teeth and platforms
 Flat handle



Overall length 75 mm, 2.9 inches

OPH-0009 SS

CORNEAL FORCEPS COLIBRI TYPE, STAINLESS
1x2 teeth, 0.2 mm height
75 degree teeth
5 mm tying platforms
Tips 0.3 mm wide
Flat handle



Overall length 78 mm, 3 inches

OPH-0010 TI

CORNEAL FORCEPS COLIBRI TYPE, TITANIUM
1x2 teeth, 0.12 mm height
90 degree teeth
5.0mm tying platforms
Tips 0.35 mm wide
TC teeth and platforms
Flat handle



Overall length 86 mm, 3.4 inches

OPH-0011 SS

Birks forceps, straight with 0.12mm teeth,
5mm platform



Overall length 105mm

OPH-0012 SS

Birks Colibri forceps with 0.12mm teeth,
5mm platform



Overall length 105mm

OPH-0013 **Ti**

TROUTMAN-BARRAQUER CORNEAL UTILITY
FORCEPS (COLIBRI), TITANIUM
1×2 teeth, 0.12 mm height
90 degree teeth
Tips 0.3 mm wide
3MM Tying Platform
TC teeth and platforms
Flat handle



Overall length 75 mm, 2.9 inches

OPH-0014 **Ti**

Birks forceps, curved with 0.12mm teeth,
5mm platform



Overall length 109mm, 4.3 inches

OPH-0015 **Ti**

CORNEAL FORCEPS COLIBRI TYPE, TITANIUM
1×2 teeth, 0.12 mm height
Tips 0.3 mm wide
45 degree teeth
TC teeth and platforms
6 mm tying platforms
Flat handle



Overall length 106 mm, 4.2 inches

OPH-0016 **Ti**

CORNEAL FORCEPS COLIBRI TYPE, TITANIUM
1×2 teeth, 0.2 mm height
Tips 0.3 mm wide
45 degree teeth
TC teeth and platforms
6 mm tying platforms
Flat handle



Overall length 106 mm, 4.2 inches

OPH-0017 **Ti**

CORNEAL FORCEPS COLIBRI TYPE, TITANIUM
 1×2 teeth, 0.1 mm height
 45 degree teeth
 Tips 0.3 mm wide
 TC teeth
 Round handle



Overall length 100 mm, 3.9 inches

OPH-0018 **Ti**

CORNEAL FORCEPS COLIBRI TYPE, TITANIUM
 1×2 teeth, 0.12 mm height
 45 degree teeth
 Tips 0.3 mm wide
 TC teeth
 Round handle



Overall length 100 mm, 3.9 inches

OPH-0019 **Ti**

Birks Colibri forceps with 0.12mm teeth,
 4mm platform



Overall length 107mm

OPH-0020 **Ti**

CORNEAL FORCEPS COLIBRI TYPE, TITANIUM
 1×2 teeth, 0.1 mm height
 TC teeth
 90 degree teeth
 Round handle
 Tips 0.3 mm wide



Overall length 100 mm, 3.9 inches

OPH-0021 TI


OGAWA CORNEAL FORCEPS COLIBRI TYPE,
 TITANIUM
 1×2 teeth, 0.12 mm height
 Tips 0.3 mm wide
 90 degree teeth
 TC teeth
 Round handle



Overall length 100 mm, 3.9 inches

OPH-0022 TI

GIRARD CORNEAL FORCEPS COLIBRI TYPE,
 TITANIUM
 1×2 teeth, 0.12 mm height
 90 degree teeth
 Tips 0.3 mm wide
 6 mm tying platforms
 TC teeth and platforms
 Round handle



Overall length 100 mm, 3.9 inches

OPH-0023 TI

CATALANO CORNEAL FORCEPS, TITANIUM
 1×2 teeth, 0.1 mm height
 Tips 0.3 mm wide
 30 degree teeth
 TC teeth
 Round handle



Overall length 90 mm, 3.5 inches

OPH-0024 TI

CORNEAL FORCEPS, TITANIUM
 1×2 teeth, 0.3 mm height
 90 degree teeth
 Tips 0.5 mm wide
 TC teeth
 Round handle



Overall length 84 mm, 3.3 inches

OPH-0025 TI

PIERSE TYPE CORNEAL COLIBRI FORCEPS,
TITANIUM

1×1 Pierse tip
Tips 0.4 mm wide
0.1 mm groove
Round handle



Overall length 90 mm, 3.5 inches

OPH-0026 TI

PIERSE CORNEAL FORCEPS, TITANIUM

1×1 Pierse tip
Tips 0.4 mm wide
0.1 mm groove
Flat handle



Overall length 75 mm, 2.9 inches

OPH-0027 TI

PIERSE CORNEAL FORCEPS, TITANIUM

1×1 Pierse tip
Tips 0.4 mm wide
0.1 mm groove
6mm tying platform
Flat handle



Overall length 75 mm, 2.9 inches

OPH-0028 TI

PIERSE TYPE FIXATION FORCEPS STRAIGHT,
TITANIUM

1×1 Pierse tips
Tips 0.2 mm wide
0.1 mm groove
Flat handle



Overall length 80 mm, 3.1 inches

OPH-0029 **Ti**

PIERSE TYPE FIXATION FORCEPS STRAIGHT,
TITANIUM

1×1 Pierse tips

Tips 0.2 mm wide

0.1 mm groove

TC tying platform 2.5 mm long

Flat handle



Overall length 75 mm, 2.9 inches

OPH-0030 **Ti**

PIERSE TYPE FIXATION FORCEPS CURVED,
TITANIUM

1×1 Pierse tips

Tips 0.2 mm wide

0.1 mm groove

TC tips

Flat handle



Overall length 110 mm, 4.3 inches

OPH-0031 **Ti**

PIERSE TYPE FIXATION FORCEPS STRAIGHT,
TITANIUM

1×1 Pierse tips

Tips 0.2 mm wide

0.1 mm groove

TC tips

Flat handle



Overall length 98 mm, 3.9 inches

OPH-0032 **Ti**

PIERSE TYPE FIXATION FORCEPS ANGLED,
TITANIUM

1×1 Pierse tips

0.1 mm groove

Tips 0.4 mm wide

Flat handle



Overall length 90 mm, 3.6 inches

OPH-0033 **Ti**

BORES CORNEAL FORCEPS ANGLED, TITANIUM
 1×2 teeth, 0.12 mm height
 Angled 2 point fixation
 0.3×0.3mm tips
 U-shaped 2 mm spread
 TC teeth
 Round handle



Overall length 100 mm, 3.9 inches

OPH-0034 **Ti**

PRECHOPPER FOR HARD NUCLEUS STRAIGHT,
 TITANIUM
 Maximum opening 3 mm
 Cross action
 Round Handle



Overall length 121 mm, 2.9 inches

OPH-0035 **SS**

PRECHOPPER FOR HARD NUCLEUS STRAIGHT,
 STAINLESS
 Maximum opening 3 mm
 Cross action
 Round Handle



Overall length 121 mm, 2.9 inches

OPH-0036 **Ti**

PRECHOPPER FOR SOFT NUCLEUS STRAIGHT,
 TITANIUM
 Maximum opening 3 mm
 Cross action
 Round Handle



Overall length 121 mm, 2.9 inches

OPH-0037 TI

PRECHOPPER FOR HARD NUCLEUS ANGLED,
TITANIUM
Maximum opening 3 mm
Cross action
Round Handle



Overall length 117 mm, 4.6 inches

OPH-0038 TI

PRECHOPPER FOR SOFT NUCLEUS ANGLED,
TITANIUM
Maximum opening 3 mm
Cross action
Round Handle



Overall length 117 mm, 4.6 inches

OPH-0039 TI

PRECHOPPER FOR HARD NUCLEUS CURVED,
TITANIUM
Maximum opening 3 mm
Cross action
Round Handle



Overall length 119 mm, 4.7 inches

OPH-0040 SS

PRECHOPPER FOR HARD NUCLEUS CURVED,
STAINLESS
Maximum opening 3 mm
Cross action
Round Handle



Overall length 119 mm, 4.7 inches

OPH-0041 TI

PRECHOPPER FOR SOFT NUCLEUS CURVED,
 TITANIUM
 Maximum opening 3 mm
 Cross action
 Round Handle



Overall length 119 mm, 4.7 inches

OPH-0042 SS

AKAHOSHI COMBO PRECHOPPER STRAIGHT,
 STAINLESS
 Maximum opening 2.6 mm
 Cross action
 Round handle



Overall length 121 mm, 4.8 inches

OPH-0043 TI

AKAHOSHI COMBO PRECHOPPER STRAIGHT,
 TITANIUM
 Maximum opening 2.6 mm
 Cross action
 Round handle



Overall length 121 mm, 4.8 inches

OPH-0044 SS

AKAHOSHI COMBO PRECHOPPER STRAIGHT,
 STAINLESS
 Maximum opening 2.6 mm
 Cross action
 Round handle



Overall length 121 mm, 4.8 inches

OPH-0045 **SS**

COMBO PRECHOPPER FOR SUB-1.5 mm
COAXIAL MICROPHACO STRAIGHT, STAINLESS
Maximum opening 1.5 mm
Cross action
Specially designed to split nuclei through
small 1.5 mm incision
Round handle



Overall length 121 mm, 4.8 inches

OPH-0046 **SS**

AKAHOSHI HYBRID COMBO PRECHOPPER
STRAIGHT, STAINLESS
Maximum opening 2.9 mm
Cross action
Groove enables easy rotation of the nuclei
during prechopping
Round handle



Overall length 120 mm, 4.8 inches

OPH-0047 **Ti**

ERNEST NUCLEUS CRACKER,
TITANIUM
2.5 × 1.3 mm tips
Maximum opening 4mm
Cross action criss-cross jaws
Round handle



Overall length 107 mm, 4.2 inches

OPH-0048 **SS**

DODICK NUCLEUS CRACKER
Cross action
Very delicate



Overall length 10.5cm,

OPH-0049 **Ti**


UTRATA CAPSULORHEXIS FORCEPS
CURVED, TITANIUM
Delicate shafts 11 mm long
Grasping tips
Flat Handle



Overall length 102 mm, 4 inches

OPH-0050 **Ti**


UTRATA CAPSULORHEXIS FORCEPS
CURVED, TITANIUM
Delicate shafts 11 mm long
Sharp tips
Flat Handle



Overall length 102 mm, 4 inches

OPH-0051 **Ti**

UTRATA CAPSULORHEXIS FORCEPS
CURVED, TITANIUM
Delicate shafts 11 mm long
Grasping Reversed tips
Flat Handle



Overall length 102 mm, 4 inches

OPH-0052 **Ti**

UTRATA CAPSULORHEXIS FORCEPS
ANGLED, TITANIUM
Delicate shafts 11 mm long
Grasping tips
Flat Handle



Overall length 102 mm, 4 inches

OPH-0053 TI

UTRATA CAPSULORHEXIS FORCEPS
ANGLED, TITANIUM
Delicate shafts 11 mm long
Sharp tips
Flat Handle



Overall length 102 mm, 4 inches

OPH-0054 TI

UTRATA CAPSULORHEXIS FORCEPS
ANGLED, TITANIUM
Delicate shafts 11 mm long
Grasping Reversed tips
Flat Handle



Overall length 102 mm, 4 inches

OPH-0055 TI

UTRATA CAPSULORHEXIS FORCEPS
ANGLED, TITANIUM
Delicate shafts 11.5 mm long
Flat Handle



Overall length 105 mm, 4.1 inches

OPH-0056 TI

UTRATA CAPSULORHEXIS FORCEPS
ANGLED, TITANIUM
Delicate shafts 11.5 mm long
Grasping Tips
Flat Handle



Overall length 105 mm, 4.1 inches

OPH-0057 **Ti**

UTRATA CAPSULORHEXIS FORCEPS
ANGLED, TITANIUM
Delicate shafts 11.5 mm long
Sharp Tips
Flat Handle



Overall length 105 mm, 4.1 inches

OPH-0058 **Ti**

UTRATA CAPSULORHEXIS FORCEPS
CURVED, TITANIUM
Delicate shafts 11.5 mm long
Grasping Tips
Flat Handle



Overall length 105 mm, 4.1 inches

OPH-0059 **Ti**

UTRATA CAPSULORHEXIS FORCEPS
CURVED, TITANIUM
Delicate shafts 11.5 mm long
Sharp Tips
Flat Handle



Overall length 105 mm, 4.1 inches

OPH-0060 **Ti**

UTRATA CAPSULORHEXIS FORCEPS
CURVED, TITANIUM
Delicate shafts 12.3 mm long
Grasping Tips
Flat Handle



Overall length 102 mm, 4 inches

OPH-0061 TI

UTRATA CAPSULORHEXIS FORCEPS
ANGLED, TITANIUM
Delicate shafts 12.5 mm long
Grasping Tips
Flat Handle



Overall length 83 mm, 3.2 inches

OPH-0062 SS

UTRATA CAPSULORHEXIS FORCEPS
ANGLED, STAINLESS
Delicate shafts 12.5 mm long
Grasping Tips
Flat Handle



Overall length 83 mm, 3.2 inches

OPH-0063 SS

UTRATA CAPSULORHEXIS FORCEPS
ANGLED, STAINLESS
Delicate shafts 12.5 mm long
Grasping Tips
Flat Handle



Overall length 83 mm, 3.2 inches

OPH-0064 SS

UTRATA CAPSULORHEXIS FORCEPS
CURVED, STAINLESS
Delicate shafts 11 mm long
Sharp Tips
Flat Handle



Overall length 105 mm, 4.1 inches

OPH-0065 SS

MICROCOAXIAL CAPSULORHEXIS FORCEPS
 ANGLED, STAINLESS
 Sharp Tips
 Delicate shafts 10.5 mm long
 Ultra-thin profile and limiter for
 capsulorhexis even through
 1.8 mm incision



Overall length 104 mm, 4.1 inches

OPH-0066 SS

MICROCOAXIAL CAPSULORHEXIS FORCEPS
 CURVED, STAINLESS
 Sharp Tips
 Delicate shafts 10.5 mm long
 Ultra-thin profile and limiter for
 capsulorhexis even through
 1.8 mm incision



Overall length 104 mm, 4.1 inches

OPH-0065 TI

MICROCOAXIAL CAPSULORHEXIS FORCEPS
 ANGLED, TITANIUM
 Sharp Tips
 Delicate shafts 10.5 mm long
 Ultra-thin profile and limiter for
 capsulorhexis even through
 1.8 mm incision



Overall length 104 mm, 4.1 inches

OPH-0066 TI

MICROCOAXIAL CAPSULORHEXIS FORCEPS
 CURVED, ANGLED
 Sharp Tips
 Delicate shafts 10.5 mm long
 Ultra-thin profile and limiter for
 capsulorhexis even through
 1.8 mm incision



Overall length 104 mm, 4.1 inches

OPH-0067 **Ti**

CAPSULORHEXIS FORCEPS,
CURVED, TITANIUM
Delicate shafts 11 mm long
Maximum opening 0.8 mm wide
Grasping Tips
Round Handle



Overall length 99 mm, 3.9 inches

OPH-0068 **Ti**

MICROCOAXIAL CAPSULORHEXIS
FORCEPS CURVED, TITANIUM
Sharp Tips
Delicate shafts 10.5 mm long
Ultra-thin profile and limiter for
capsulorhexis even through
1.5 mm incision
Round Handle



Overall length 118 mm, 4.6 inches

OPH-0069 **Ti**

DOUBLE CROSS ACTION CAPSULORHEXIS
FORCEPS FOR SMALL INSICIONS (MICS),
TITANIUM
Extremely delicate shafts 11.6 mm long
Serrated grasping tips 0.4mm wide
Maximum opening 0.5m
Flat handle



Overall length 97 mm, 3.8 inches

OPH-0070 **SS**

DOUBLE CROSS ACTION CAPSULORHEXIS
FORCEPS FOR SMALL INSICIONS (MICS),
STAINLESS
Extremely delicate shafts 11.6 mm long
Serrated grasping tips 0.4mm wide
Maximum opening 0.5m
Flat handle



Overall length 97 mm, 3.8 inches

OPH-0071 **Ti**

INAMURA CAPSULORHEXIS FORCEPS
CURVED, TITANIUM
Delicate shafts 11 mm long
Sharp tips
Round Handle



Overall length 120 mm, 4.7 inches

OPH-0072 **Ti**

INAMURA CAPSULORHEXIS FORCEPS
CURVED, TITANIUM
Delicate shafts 11 mm long
Grasping tips
Round Handle



Overall length 120 mm, 4.7 inches

OPH-0073 **Ti**

INAMURA CAPSULORHEXIS FORCEPS
ANGLED, TITANIUM
Delicate shafts 11 mm long
Sharp tips
Round Handle



Overall length 120 mm, 4.7 inches

OPH-0074 **Ti**

INAMURA CAPSULORHEXIS FORCEPS
ANGLED, TITANIUM
Delicate shafts 11 mm long
Grasping tips
Round Handle



Overall length 120 mm, 4.7 inches

OPH-0075 **SS**

INAMURA CAPSULORHEXIS FORCEPS
CURVED, Stainless
Delicate shafts 11 mm long
Sharp tips
Round Handle



Overall length 120 mm, 4.7 inches

OPH-0076 **SS**

INAMURA CAPSULORHEXIS FORCEPS
CURVED, Stainless
Delicate shafts 11 mm long
Grasping tips
Round Handle



Overall length 120 mm, 4.7 inches

OPH-0077 **SS**

NAMURA CAPSULORHEXIS FORCEPS
ANGLED, Stainless
Delicate shafts 11 mm long
Sharp tips
Round Handle



Overall length 120 mm, 4.7 inches

OPH-0078 **SS**

NAMURA CAPSULORHEXIS FORCEPS
ANGLED, Stainless
Delicate shafts 11 mm long
Grasping tips
Round Handle



Overall length 120 mm, 4.7 inches

OPH-0079 **SS**

CAPSULORHEXIS FORCEPS CURVED,
 INAMURA TYPE, STAINLESS
 Delicate shafts 12.5 mm long
 Sharp Tips
 Round Handle



Overall length 115 mm, 4.5 inches

OPH-0080 **Ti**

INAMURA CAPSULORHEXIS FORCEPS
 CURVED, TITANIUM
 Delicate shafts 10.5 mm long
 Grasping tips
 Flat Handle



Overall length 101 mm, 3.9 inches

OPH-0081 **Ti**

INAMURA CAPSULORHEXIS FORCEPS
 CURVED, Delicate shafts 10.8 mm long,
 stainless
 Ultra-thin profile and limiter for
 capsulorhexis even through 1.8 mm incision
 Flat Handle, Titanium



Overall length 116 mm, 4.5 inches

OPH-0082 **Ti**

INAMURA CAPSULORHEXIS FORCEPS
 CURVED, Titanium/Stainless
 Delicate shafts 11mm long Stainless
 Grasping Tips
 Flat Handle Titanium



Overall length 116 mm, 4.5 inches

OPH-0083 **Ti**

WRIGHT TYING SCLERAL FORCEPS
STRAIGHT, TITANIUM
1×2 teeth, 0.75 mm height
60 degree curved teeth
6 mm tying platforms
Tips 1.2mm wide
Flat Handle



Overall length 105 mm, 4.1 inches

OPH-0084 **Ti**

WRIGHT TYING SCLERAL FORCEPS
STRAIGHT, TITANIUM
1×2 teeth, 0.65 mm height
60 degree curved teeth
6 mm tying platforms
Tips 1.15mm wide
Flat Handle



Overall length 105 mm, 4.1 inches

OPH-0085 **Ti**

CASTROVIEJO TYING FORCEPS
STRAIGHT, TITANIUM
1×2 teeth, 0.9mm height
6 mm tying platforms
Tips 1mm wide
Flat Handle



Overall length 110 mm, 4.3 inches

OPH-0086 **Ti**

CASTROVIEJO TYING FORCEPS
STRAIGHT, TITANIUM
1×2 teeth, 1.25mm height
6 mm tying platforms
Tips 1.2mm wide
Flat Handle



Overall length 110 mm, 4.3 inches

OPH-0087 **Ti**

CASTROVIEJO TYING FORCEPS
STRAIGHT, TITANIUM
1×2 teeth, 0.1 mm height
45 degree teeth
6 mm tying platforms
Tip 0.3mm wide
Flat Handle



Overall length 87 mm, 3.5 inches

OPH-0088 **Ti**

CASTROVIEJO TYING FORCEPS
STRAIGHT, TITANIUM
1×2 teeth, 0.2mm height
45 degree teeth
6 mm tying platforms
Tip 0.4mm wide
Flat Handle



Overall length 87 mm, 3.5 inches

OPH-0089 **Ti**

CASTROVIEJO TYING FORCEPS
CURVED, TITANIUM
1×2 teeth, 0.1 mm height
45 degree teeth
6 mm tying platforms
Tip 0.3mm wide
Flat Handle



Overall length 87 mm, 3.5 inches

OPH-0090 **Ti**

CASTROVIEJO TYING FORCEPS
CURVED, TITANIUM
1×2 teeth, 0.2mm height
45 degree teeth
6 mm tying platforms
Tip 0.4mm wide
Flat Handle



Overall length 87 mm, 3.5 inches

OPH-0091 **Ti**

CASTROVIEJO TYING FORCEPS
ANGLED, TITANIUM
1×2 teeth, 0.1 mm height
45 degree teeth
6 mm tying platforms
Tip 0.3mm wide
Flat Handle



Overall length 102 mm, 4 inches

OPH-0092 **Ti**

CASTROVIEJO TYING FORCEPS
ANGLED, TITANIUM
1×2 teeth, 0.2mm height
45 degree teeth
6 mm tying platforms
Tip 0.4mm wide
Flat Handle



Overall length 120 mm, 4.7 inches

OPH-0093 **Ti**

McPHERSON TYING FORCEPS
STRAIGHT, TITANIUM
4 mm tying platforms
Tips 0.2mm wide
Flat Handle



Overall length 74 mm, 2.9 inches

OPH-0094 **Ti**

BONN TYING FORCEPS
ANGLED, TITANIUM
4 mm tying platforms
Tips 0.2mm wide
Flat Handle



Overall length 74 mm, 2.9 inches

OPH-0095 TI

OSHER TYING FORCEPS
CURVED, TITANIUM
4 mm tying platforms
Tips 0.2mm wide
Flat Handle



Overall length 73 mm, 2.8 inches

OPH-0096 TI

McPHERSON TYING FORCEPS
STRAIGHT, TITANIUM
4 mm tying platforms
Tips 0.3mm wide
Flat Handle



Overall length 87mm, 3.4 inches

OPH-0097 TI

McPHERSON TYING FORCEPS
STRAIGHT, TITANIUM
6 mm tying platforms
Tips 0.3mm wide
Flat Handle



Overall length 87mm, 3.4 inches

OPH-0098 TI

McPHERSON TYING FORCEPS
STRAIGHT, TITANIUM
8 mm tying platforms
Tips 0.3mm wide
Flat Handle



Overall length 87mm, 3.4 inches

OPH-0099 **Ti**

McPHERSON TYING FORCEPS
STRAIGHT, TITANIUM
10 mm tying platforms
Tips 0.3mm wide
Flat Handle



Overall length 87mm, 3.4 inches

OPH-0100 **Ti**

McPHERSON TYING FORCEPS
ANGLED, TITANIUM
4 mm tying platforms
Tips 0.3mm wide
Flat Handle



Overall length 84 mm, 3.3 inches

OPH-0101 **Ti**

McPHERSON TYING FORCEPS
ANGLED, TITANIUM
6 mm tying platforms
Tips 0.3mm wide
Flat Handle



Overall length 84 mm, 3.3 inches

OPH-0102 **Ti**

McPHERSON TYING FORCEPS
ANGLED, TITANIUM
8 mm tying platforms
Tips 0.3mm wide
Flat Handle



Overall length 84 mm, 3.3 inches

OPH-0103 **Ti**

McPHERSON TYING FORCEPS
ANGLED, TITANIUM
10 mm tying platforms
Tips 0.3mm wide
Flat Handle



Overall length 84 mm, 3.3 inches

OPH-0104 **Ti**

McPHERSON TYING FORCEPS
CURVED, TITANIUM
4 mm tying platforms
Tips 0.3mm wide
Flat Handle



Overall length 87 mm, 3.4 inches

OPH-0105 **Ti**

McPHERSON TYING FORCEPS
CURVED, TITANIUM
6 mm tying platforms
Tips 0.3mm wide
Flat Handle



Overall length 87 mm, 3.4 inches

OPH-0106 **Ti**

McPHERSON TYING FORCEPS
CURVED, TITANIUM
8 mm tying platforms
Tips 0.3mm wide
Flat Handle



Overall length 87 mm, 3.4 inches

OPH-0107 **Ti**

McPHERSON TYING FORCEPS
CURVED, TITANIUM
10 mm tying platforms
Tips 0.3mm wide
Flat Handle



Overall length 87 mm, 3.4 inches

OPH-0108 **Ti**

McPHERSON TYING FORCEPS
CURVED, TITANIUM
4 mm tying platforms
Tips 0.5mm wide
Flat Handle



Overall length 105mm, 4.1 inches

OPH-0109 **Ti**

McPHERSON TYING FORCEPS
CURVED, TITANIUM
6 mm tying platforms
Tips 0.5mm wide
Flat Handle



Overall length 105mm, 4.1 inches

OPH-0110 **Ti**

McPHERSON TYING FORCEPS
CURVED, TITANIUM
8 mm tying platforms
Tips 0.5mm wide
Flat Handle



Overall length 105mm, 4.1 inches

OPH-0111 **Ti**

TYING FORCEP FOR FEMTO/SMILE
TITANIUM
8.0mm delicate serrated tips
Tips 0.3 mm wide
Round Handle



Overall length 100 mm, 3.9 inches

OPH-0112 **Ti**

BISHOP-HARMON IRIS FORCEPS
STRAIGHT, TITANIUM
4 mm delicate serrated tips
Tip 0.3mm wide
Flat Handle



Overall length 74mm, 2.9 inches

OPH-0113 **Ti**

BISHOP-HARMON IRIS FORCEPS
CURVED, TITANIUM
4 mm delicate serrated tips
Tip 0.3mm wide
Flat Handle



Overall length 74mm, 2.9 inches

OPH-0114 **Ti**

BISHOP-HARMON IRIS FORCEPS
ANGLED, TITANIUM
4 mm delicate serrated tips
Tip 0.3mm wide
Flat Handle



Overall length 74mm, 2.9 inches

OPH-0115 **Ti**

FAULKNER IOL IMPLANTATION
FORCEP ANGLED, TITANIUM
TIP 0.3MM DIA
ROUND SHAFT 11MM LONG
FLAT HANDLE



Overall length 102 mm, 4 inches

OPH-0116 **Ti**

SIEBEL IOL FOLDING FORCEPS
ANGLED, TITANIUM
Flat Handle



Overall length 110 mm, 4.3 inches

OPH-0117 **Ti**

BURATTO IOL IMPLANTATION FORCEP
ANGLED, TITANIUM
Round Handle



Overall length 105 mm, 4.1 inches

OPH-0118 **Ti**

BONACCOLTO UTILITY FORCEP
STRAIGHT, TITANIUM
16 mm tying platforms
Tip 1.2mm wide
Toothed tips 2.5mm long
Flat Handle




Overall length 104 mm, 4.1 inches



SCISSORS



TIPS



Rounded – for
cutting only

Sharp/pointed
– can pierce
tissue as well
as cut

JAWS



Angled – enables
blades to be positioned
at the correct angle to
the tissue, particularly
useful when excising

Curved – to reach more
difficult areas or when a
curved cut is required.
May allow better
visualisation of tips

Straight – good for
when direct access
is available or when
a straight cut is
required

OPH-0119 **SS**

WESTCOTT TENOTOMY SCISSORS
CURVED, STAINLESS
8.5mm blades
Blunt Tips
Matt Finish
Flat Handle



Overall length 117 mm, 4.6 inches

OPH-0120 **SS**

WESTCOTT TENOTOMY SCISSORS
CURVED, STAINLESS
13mm blades
Blunt Tips
Matt Finish
Flat Handle



Overall length 117 mm, 4.6 inches

OPH-0121 **SS**

WESTCOTT TENOTOMY SCISSORS
CURVED, STAINLESS
16mm blades
Blunt Tips
Matt Finish
Flat Handle



Overall length 120 mm, 4.7 inches

OPH-0122 **SS**

WESTCOTT TENOTOMY SCISSORS
CURVED, STAINLESS
20mm blades
Blunt Tips
Matt Finish
Flat Handle



Overall length 120 mm, 4.7 inches

OPH-0123 **SS**

WESTCOTT STITCH SCISSORS
CURVED, STAINLESS
12mm blades
Sharp Tips
Matt Finish
Flat Handle



Overall length 120 mm, 4.7 inches

OPH-0124 **SS**

WESTCOTT STITCH SCISSORS
CURVED, STAINLESS
14mm blades
Sharp Tips
Matt Finish
Flat Handle



Overall length 120 mm, 4.7 inches

OPH-0125 **SS**

WESTCOTT STITCH SCISSORS
CURVED, STAINLESS
16.5mm blades
Sharp Tips
Matt Finish
Flat Handle



Overall length 120 mm, 4.7 inches

OPH-0126 **SS**

WESTCOTT STITCH SCISSORS
CURVED, STAINLESS
20.5mm blades
Sharp Tips
Matt Finish
Flat Handle



Overall length 120 mm, 4.7 inches

OPH-0127 **SS**


VANNAS SCISSORS STRAIGHT STAINLESS
 4mm Blades
 (Blunt/sharp mention before ordering)

OPH-0128 | 5mm blades

OPH-0129 | 6mm blades

OPH-0130 | 7mm blades

OPH-0131 | 8mm blades



Overall length 80 mm, 3.1 inches

OPH-0132 **SS**

VANNAS SCISSORS CURVED STAINLESS
 4mm Blades
 (Blunt/sharp mention before ordering)

OPH-0133 | 5mm blades

OPH-0134 | 6mm blades

OPH-0135 | 7mm blades

OPH-0136 | 8mm blades



Overall length 80 mm, 3.1 inches

OPH-0137 **SS**

VANNAS SCISSORS ANGLED, STAINLESS
 (Blunt/sharp mention before ordering)
 9.5mm Blade

OPH-0138 | 5.5mm blades



Overall length 80 mm, 3.1 inches

OPH-0139 **SS**

VANNAS SCISSORS ANGLED TO SIDE, STAINLESS
 (Blunt/sharp mention before ordering)
 5.5mm Blade

OPH-0140 | 9.5mm blades



Overall length 80 mm, 3.1 inches

OPH-0141 **Ti**

VANNAS SCISSORS STRAIGHT TITANIUM
 6mm Blades
 (Blunt/sharp mention before ordering)

OPH-0142 | 4mm blades

OPH-0143 | 5mm blades

OPH-0144 | 7mm blades

OPH-0145 | 8mm blades



Overall length 80 mm, 3.1 inches

OPH-0146 **Ti**

VANNAS SCISSORS CURVED TITANIUM
 6mm Blades
 (Blunt/sharp mention before ordering)

OPH-0147 | 4mm blades

OPH-0148 | 5mm blades

OPH-0149 | 7mm blades

OPH-0150 | 8mm blades



Overall length 80 mm, 3.1 inches

OPH-0151 **SS**

CASTROVIEJO CORNEOSCLERAL SCISSORS
 small blades right
OPH-0152 | left



Overall length 110 mm, 4.3 inches

OPH-0153 **SS**

Castroviejo Corneoscleral Scissors
 medium blades right
OPH-0154 | left




Overall length 110 mm, 4.3 inches

OPH-0155 **SS**

CASTROVIEJO UNIVERSAL CORNEAL SCISSORS
curved, blunt tips
small blades

OPH-0156 | medium blades

OPH-0157 | large blades



Overall length 110 mm, 4.3 inches

OPH-0158 **SS**

CASTROVIEJO KERATOPLASTY SCISSORS
angled to side blunt tips
medium blades



Overall length 110 mm, 4.3 inches

OPH-0159 **SS**

MINI WESTCOTT SCISSOR
curved small blades
blunt tips



Overall length 110 mm, 4.3 inches

OPH-0160 **SS**

WESTCOTT TENOTOMY SCISSORS
standard blades curved
blunt tips



Overall length 120 mm, 4.7 inches

OPH-0161 **SS**

IRIS SCISSORS STRAIGHT

sharp tips

small blades

OPH-0162 | curved blades



Overall length 110 mm, 4.3 inches

OPH-0163 **SS**

FINE STITCH SCISSORS STRAIGHT

sharp tips, medium blades

OPH-0164 | curved blades



Overall length 115 mm, 4.5 inches

OPH-0165 **SS**

BARRAQUER IRIS SCISSORS

blunt tips, 7mm long blades

OPH-0166 | sharp tips



Overall length 57 mm, 2.2 inches

OPH-0167 **SS**

ANTERIOR CAPSULOTOMY SCISSORS

angled, 10mm blades

sharp pointed tips


flat handle



Overall length 90 mm, 3.5 inches

OPH-0168 **Ti**


LENS CUTTER FORCEPS, STAINLESS-TITANIUM
8.5 mm blades, stainless
Flat handle with two hinge joints, titanium
Designed to cut and remove all types of foldable intraocular lenses through a small incision



Overall length 112 mm, 4.4 inches

OPH-0169 **Ti**

LENS CUTTER FORCEPS, STAINLESS-TITANIUM
9.5 mm blades, stainless
Flat handle with two hinge joints, titanium
Designed to cut and remove all types of foldable intraocular lenses through a small incision
Upper blade of the scissors has five bevels for effective cutting and grasping of the IOL



Overall length 112 mm, 4.4 inches

OPH-0170 **Ti**

LENS REMOVING FORCEPS
11 mm blades, stainless
Flat handle with two hinge joints, titanium
Designed to grasp and remove all types of foldable intraocular lens through a small incision



Overall length 112 mm, 4.4 inches

OPH-0171 **SS**


IOL SCISSORS STRAIGHT BLADES
angled 11 mm blades, stainless
Grooves on the lower cutting blade guarantees no sliding effect while cutting the lens



Overall length 91 mm, 3.5 inches



NEEDLE HOLDER



TIPS



Heavy – for
larger sutures
e.g. strabismus,
lid

Standard –
general purpose –
cataract,
trabeculectomy

Fine/micro – for
finest sutures
e.g. corneal
graft, cataract

JAWS



STRAIGHT

CURVED



OPH-0172 **SS**

CASTROVIEJO NEEDLE HOLDER
Standard, curved 10mm jaw
with a lock
Flat Handle
OPH-0173 | straight



Overall length 145 mm, 5.7 inches

OPH-0174 **SS**

Castroviejo needle holder
Heavy, curved 12mm jaw
with a lock
Flat Handle
OPH-0175 | straight



Overall length 145 mm, 5.7 inches

OPH-0176 **SS**

Castroviejo needle holder
Micro, curved 10mm jaw
with a lock
Wide Flat Handle
OPH-0177 | straight



Overall length 145 mm, 5.7 inches

OPH-0178 **SS**

BARRAQUER NEEDLE HOLDER
Fine, curved 8mm jaw
with a lock
Round Handle
OPH-0179 | straight



Overall length 140 mm, 5.5 inches

OPH-0180 **SS**

CASTROVIEJO NEEDLE HOLDER
Standard, curved 10mm jaw
without a lock
Flat Handle
OPH-0181 | straight



Overall length 145 mm, 5.7 inches

OPH-0182 **SS**

Castroviejo needle holder
Heavy, curved 12mm jaw
without a lock
Flat Handle
OPH-0183 | straight



Overall length 145 mm, 5.7 inches

OPH-0184 **SS**

Castroviejo needle holder
Micro, curved 10mm jaw
without a lock
Wide Flat Handle
OPH-0185 | straight



Overall length 145 mm, 5.7 inches

OPH-0186 **SS**

BARRAQUER NEEDLE HOLDER
Fine, curved 8mm jaw
without a lock
Round Handle
OPH-0187 | straight



Overall length 140 mm, 5.5 inches

OPH-0188 **SS**

KALT NEEDLE HOLDER

Heavy, straight, 8mm jaw
with a lock



Overall length 138 mm, 5.4 inches

OPH-0189 **TT**

BARRAQUER NEEDLE HOLDER CURVED

Titanium, Tip 0.4mm wide
Fine 8.5mm long jaws
Round Handle

OPH-0190 | Straight



Overall length 100 mm, 3.9 inches

OPH-0191 **TT**

BARRAQUER NEEDLE HOLDER CURVED

Titanium, Tip 0.4mm wide
Fine 9.5mm long jaws
Round Handle

OPH-0192 | Straight



Overall length 100 mm, 3.9 inches

OPH-0193 **TT**

BARRAQUER NEEDLE HOLDER CURVED

TITANIUM, TIP 0.3MM WIDE
FINE 5.5MM LONG JAWS
ROUND HANDLE

OPH-0194 | STRAIGHT



Overall length 100 mm, 3.9 inches

OPH-0194 **Ti**
CASTROVIEJO NEEDLE HOLDER

Straight, Titanium

Standard Jaws 11mm long

Tips 0.4mm wide

Round Handle

OPH-0195 | Curved


Overall length 135mm, 5.3 inches

OPH-0196 **Ti**
NEEDLE HOLDER CURVED TITANIUM

Strong Jaws 10.5mm long

Tips 1.2mm wide

Flat Handle

OPH-0197 | Straight


Overall length 127mm, 5 inches

OPH-0198 **SS**
MICRO NEEDLE HOLDER STRAIGHT

without lock, Tips 0.6mm Jaws 9 mm Long

Round Handle, Short Model

OPH-0199 | Curved without lock

OPH-0200 | Curved with lock

OPH-0201 | Straight with lock


Overall length 90mm, 3.5 inches

OPH-0202 **SS**
BARRAQUER MICRO-NEEDLE HOLDER CURVED

Tips 0.5mm, 9 mm jaws, without lock

Round Handle

OPH-0203 | Straight without lock


OPH-0204 | Curved with lock

OPH-0205 | Straight with lock



Overall length 125mm, 4.9 inches




SPECULUMS



Open: allows good access for instruments
e.g. Phaco handpiece that might otherwise rest on
the top bar of a closed blade making surgery difficult




Closed: good hold on eyelids for procedures
where the top bar does not cause a problem
e.g. trabeculectomy or temporal incision phaco



Wire: more comfortable for the patient under local
anaesthetic, particularly when used with a sliding wire
speculum or a non-adjustable speculum




Solid: holds eyelids securely




OPH-0206 **SS**

BARRAQUER WIRE SPECULUM
 infant size, 9mm blades




OPH-0207 **SS**

BARRAQUER WIRE SPECULUM
 standard wire, 15mm blades
OPH-0208 | standard wire, 10mm blades
OPH-0209 | heavy wire, 15mm blades
OPH-0210 | extra heavy wire, 15mm blades



OPH-0211 **SS**

GRANDON-BARRAQUER
 Wire Speculum 15mm blades with suture
 notches Used to obtain additional traction
 for the upper eyelid.



OPH-0212 **SS**

Temporal Approach WIRE SPECULUM
 with spring on nasal side
 15mm closed blades
OPH-0213 | 15mm open blades
OPH-0214 | 15mm solid blades



OPH-0215 SS

SOLID BLADE WIRE SPECULUM

Barraquer, 10mm blades

OPH-0216 | Barraquer, 15mm blades


OPH-0217 | Feaster, 20mm blades


OPH-0218 SS

KRATZ-BARRAQUER WIRE SPECULUM

15mm blades Right, one solid and one open wire

OPH-0219 | Left


OPH-0220 SS


KRATZ-BARRAQUER WIRE SPECULUM

with open blades For unobstructed access to the cataract incision with phaco or I/A tip.

standard wire, 13mm blades


OPH-0221 | standard wire, 15mm blades

OPH-0222 | heavy wire, 15mm blades


OPH-0223 SS


KRATZ-BARRAQUER WIRE SPECULUM

15mm blades with wings For retracting the lids up and away from the globe to eliminate external pressure.




OPH-0224 **TI**

KRATZ-BARRAQUER SPECULUM
for adult with 8mm open wire blades.




OPH-0225 **SS**

MCINTYRE WIRE SPECULUM
gently curved springs V-shaped blades are
designed to retain surgical drape under the eyelids.
closed wire, 13mm blades
OPH-0226 | open wire, 13mm blades




OPH-0227 **SS**

NEVYAS WIRE SPECULUM
Designed to retain surgical drape under the eyelids
while allowing unobstructed access to the cataract
incision with phaco or I/A tip.
16mm blades.



OPH-0228 **SS**

ALPHONSO INFANT LID SPECULUM
finger grips and interlacing blades to facilitate
insertion one blade 5mm, one blade 7mm



OPH-0229 **SS**

SAUER LID SPECULUM

for infants, 11mm blades

OPH-0230 | for premature infants, 2mm blades



OPH-0231 **SS**

FRANKEL INFANT LID SPECULUM

10mm blades adjustable For precise control
of infant eyelid retraction.



OPH-0232 **SS**

INFANT WIRE SPECULUM


interlacing 3mm & 5mm blades For use
with newborns or infants.



OPH-0233 **SS**

LID SPECULUM CLOSED WIRE BLADES

gently curved spring 4mm blades



OPH-0234 **SS**

FEMTO LID SPECULUM
 flat 15mm wire blades with locking screw.



OPH-0235 **SS**

Cook Eye Speculum
 with locking screw 8mm blades
OPH-0236 | 11mm blades
OPH-0237 | 15mm blades



OPH-0238 **SS**

MURDOCH EYE SPECULUM
 with locking screw 12mm blades
OPH-0239 | 15mm blades



OPH-0240 **SS**

Williams Eye Speculum
 with locking screw 11mm blades
OPH-0241 | 15mm blades



OPH-0242 SS

LANCASTER EYE SPECULUM
 16mm blades adjustable mechanism with
 locking nut.


OPH-0243 SS

Castroviejo Eye Speculum
 adjustable mechanism 14mm blades.
OPH-0244 | 16mm blades


OPH-0245 SS

FISHKIND EYE SPECULUM
 15mm open blades adjustable mechanism
 For use with phaco or I/A tip.



OPH-0246 SS

MCNEILL-GOLDMAN SCLERAL
 Fixation Ring and Blepharostat
 small, 15mm I.D
OPH-0247 | medium, 16mm I.D
OPH-0248 | large, 17mm I.D




OPH-0249 SS

LIEBERMAN STYLE, ASPIRATING
 Kratz style, 15mm blades.
 adjustable mechanism Features aspirating ports
 to remove excess fluid from the surgical field.
 Supplied with silicone tubing and luer-lock
 adaptor.



OPH-0250
 Thorlakson, rounded,
 11mm blades



OPH-0251
 Lieberman, V-
 shaped, 15mm
 blades




OPH-0252
 Chu, solid, reversible,
 15mm blades

OPH-0253 SS

DOUBLE-X ASPIRATING SPECULUM
 adjustable, Kratz style 15mm blades



OPH-0254 SS

SCHOTT EYE SPECULUM
 with rotatable adjustment for precise
 control of blade elevation Ideal for
 glaucoma surgery.
 16mm wire blades




OPH-0255 SS


LIEBERMAN SPECULUM
 K-wire, 15mm blades, standard




OPH-0256
 Lieberman, infant K-
 wire, 5mm




OPH-0257
 Lieberman, infant
 solid blade, 5mm




OPH-0258
 Tanna-Lieberman, 15mm
 blades with traction suture
 anchor posts




OPH-0259
 Lieberman, K-wire,
 10mm blades, small




OPH-0260
 Seltzer, flattened K-
 wire, 15mm blades




OPH-0261
 Thorlakson, rounded,
 11mm blades



OPH-0262
 Lieberman, triple
 post, 13mm blades



OPH-0263
 Lieberman, V-shaped
 15mm blades




OPH-0264
 Lieberman, solid
 blades, 15mm blades
OPH-0265
 Lieberman, solid
 blades, 10mm blades



OPH-0266
 Ginsberg, flared
 upper blades,
 fenestrated lower
 blades, 15mm blades

OPH-0267 SS
REVERSIBLE EYE SPECULUM

15mm blades adjustable mechanism non-reflective finish Designed for nasal or temporal placement.


OPH-0268 SS
LIEBERMAN TEMPORAL APPROACH SPECULUM

15mm blades Kratz style
open wire blades adjustable mechanism
on nasal side.


OPH-0269 SS
LIEBERMAN TEMPORAL APPROACH SPECULUM

V-wire 15mm blades adjustable
mechanism on nasal side




OPH-0270 SS
MAUMENEE-PARK EYE SPECULUM

with canthus hook blade locking screws
may be positioned vertically or horizontally
15mm solid blades




OPH-0271 **SS**


DOUBLE-X SPECULUM
 Chu, flattened 17mm



OPH-0272
 K-wire, flattened
 15mm



OPH-0273
 V-wire, flattened
 15mm



OPH-0274
 Chu, flattened
 13mm



OPH-0275
 Solid blades
 15mm

OPH-0276 **SS**

STEVENSON LACRIMAL SAC RETRACTOR
 3 x 3 blunt prongs, adjustable



OPH-0277 **SS**

AGRICOLA LACRIMAL SAC RETRACTOR
 3 x 3 sharp prongs



CHOPPERS & MANIPULATORS

**Chopper/Splitter:**

used during phacoemulsification (Phaco) chop procedure to manually break up the crystalline lens

Manipulator:

used to move lens fragments during Phaco

Dialer:

used to position the Intraocular lens implant (IOL)

Hook (micro):

designed to 'push' or 'pull' the iris or lens capsule

Vectis:


a traditional instrument designed to support the crystalline lens and aid with its removal during intracapsular cataract extraction procedure

Repositor:

used to reposition tissue, usually iris. May also be used to separate adhesions (synechia) between the iris and lens capsule.

OPH-0278 **TI**


GRAETHER COLLAR BUTTON, STRAIGHT
 Stainless Tip for polishing capsule and
 retracting iris,
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0279 **TI**


SINSKEY IRIS & IOL HOOK ANGLED
 Straight 0.2 mm hook, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0280 **TI**


KUGLEN IRIS&LENS MANIPULATOR, ANGLED
 Angled 0.65 mm hook, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0281 **TI**


BONN IRIS HOOK, ANGLED
 Angled 0.2 mm hook. stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0282 **Ti**


RENTSCH LENS MANIPULATOR, STRAIGHT
 multifunction tip to retract iris/capsule
 reposition IOL, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0283 **Ti**


OSHER "Y" MANIPULATOR, ANGLED
 "Y" shaped tip stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0284 **Ti**


ZIRM LENS MANIPULATOR
 vertical "Y" hook 0.55mm wide, stainless
 14mm from tip to bend
 Round titanium handle



Overall length 127 mm, 5 inches

OPH-0285 **Ti**


BECHERT NUCLEUS MANIPULATOR ANGLED
 "Y" shaped tips, stainless
 12mm from tip to bend
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0286 **TI**

SINSKEY IRIS & IOL HOOK, STRAIGHT
 0.2mm hook, stainless
 Round titanium handle




Overall length 120 mm, 4.7 inches



OPH-0287 **TI**

SINSKEY IRIS & IOL HOOK, STRAIGHT TITANIUM
 0.2mm hook
 Round handle




Overall length 120 mm, 4.7 inches



OPH-0288 **TI**

SINSKEY IRIS & IOL HOOK, ANGLED TITANIUM
 0.2mm hook
 Round handle



Overall length 120 mm, 4.7 inches



OPH-0289 **TI**

IRIS HOOK, ANGLED
 0.2mm hook, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches



OPH-0290 **Ti**

MICROFINGER HOOK, ANGLED
 1.5mm tip, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0291 **Ti**

NUCLEUS SUSTAINER, ANGLED
 Tip with ball 0.55mm dia, stainless
 Instrument for second hand, to be used
 with prechoppers (for hard cataracts)
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0292 **Ti**


MANIPULATION HOOK, CURVED
 Tip with ball 0.55mm dia, stainless
 Instrument for second hand, to be used
 with prechoppers (for hard cataracts)
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0293 **Ti**


KUGLEN HOOK, STRAIGHT
 Tip 0.5 mm wide, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0294 **Ti**


KUGLEN HOOK, ANGLED
 Tip 0.5 mm wide, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0295 **Ti**


LESTER LENS MANIPULATOR, STRAIGHT
 Tip 0.2 x 0.5mm, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0296 **Ti**


LESTER LENS MANIPULATOR, ANGLED
 Tip 0.2 x 0.5mm, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0297 **Ti**


SINSKEY REVERSE HOOK (DSAOK), TITANIUM
 angled 0.2mm hook
 For scoring the recipient bed and to
 position the donor lamella
 Round handle



Overall length 120 mm, 4.7 inches

OPH-0298 **Ti**


DOUBLE FIXATION HOOK, LARGE
 2.0 mm spread between sharp tips,
 stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0299 **Ti**


DOUBLE FIXATION HOOK, LARGE
 1.5 mm spread between sharp tips,
 stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0300 **Ti**


DOUBLE FIXATION HOOK (FREER SKIN HOOK)
 1.5 mm spread between two sharp prongs,
 stainless
 Round titanium handle



Overall length 165 mm, 6.5 inches

OPH-0301 **Ti**

JAMESON MUSCLE HOOK
 Bulbous tip 3mm, stainless
 Round titanium handle



Overall length 131 mm, 5.2 inches

OPH-0302 **Ti**

GREEN STRABISMUS HOOK
 Working part Flat 10mm long
 Round titanium handle



Overall length 127 mm, 5 inches

OPH-0303 **Ti**

GREEN STRABISMUS HOOK
 Working part Flat 9mm long
 Round titanium handle



Overall length 127 mm, 5 inches

OPH-0304 **Ti**


GRAEFE MUSCLE HOOK
 working part 12.3 mm long, stainless
 Round titanium handle



Overall length 140 mm, 5.5 inches

OPH-0305 **Ti**


STEVENS CURVED TENOTOMY HOOK
 Working part 6.2mm long, stainless
 Tip dia 1.0 mm
 Round titanium handle



Overall length 141 mm, 5.5 inches

OPH-0306 **TI**


STEVENS CURVED TENOTOMY HOOK
 Working part 5mm long, stainless
 Tip dia 1.0 mm
 Round titanium handle



Overall length 118 mm, 4.6 inches

OPH-0307 **TI**


CYSTOTOME ANGLED
 0.2mm blade, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0308 **TI**


CYSTOTOME CURVED
 0.2mm blade, stainless
 11.2 mm from tip to bend
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0309 **TI**


DRYSDALE LENS CRUSHING KNIFE ANGLED
 1.8mm blade, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0310 **TI**


DRYSDALE LENS CRUSHING KNIFE CURVED
1.8mm blade, stainless
Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0311 **TI**


PHACO CHOPPER ANGLED LARGE, TITANIUM
1.5 mm blade
Round handle



Overall length 120 mm, 4.7 inches

OPH-0312 **TI**


PHACO CHOPPER ANGLED MEDIUM, TITANIUM
1.3 mm blade
Round handle



Overall length 120 mm, 4.7 inches

OPH-0313 **TI**


PHACO CHOPPER ANGLED SMALL, TITANIUM
1.0 mm blade
Round handle



Overall length 120 mm, 4.7 inches

OPH-0314 **TI**


FOREIGN BODY SPUD
 2.2mm gently curved blade, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0315 **TI**


DAVIS FOREIGN BODY SPUD
 4.2 mm blade, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0316 **TI**


PHACO CHOPPER ANGLED
 0.9 mm blade, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0317 **TI**


PHACO CHOPPER ANGLED
 0.9 mm blade, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0318 **TI**


DANIEL- WALKOW PHACO CHOPPER ANGLED
1.3 mm blade with ball 0.4mm dia, stainless
Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0319 **TI**


HOOK AND PHACO CHOPPER ANGLED
0.43 mm blade, stainless
Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0320 **TI**

ROSEN PHACO CHOPPER UNIVERSAL
1.0 mm blade, stainless
Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0321 **TI**

HOCKEY EPITHELIUM REMOVAL KNIFE FOR PRK
2.5mm x 6.0mm blade, stainless
Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0322 **Ti**

QUICK CHOP
 1.3mm blade 1.75mm tip, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0323 **Ti**


QUICK CHOP
 0.8mm blade 1.3mm tip, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0324 **Ti**


LASEK TREPHINE
 To create epithelial flap
 For 8mm optical zone
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0325 **Ti**


LASEK TREPHINE
 To create epithelial flap
 For 9mm optical zone
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0326 **TI**


NAGAHARA PHACO CHOPPER ANGLED TITANIUM
Right, 1.25 mm blade
Round handle



Overall length 120 mm, 4.7 inches

OPH-0327 **TI**

NAGAHARA PHACO CHOPPER ANGLED
TITANIUM
Left, 1.25 mm blade
Round handle



Overall length 120 mm, 4.7 inches

OPH-0328 **TI**


NAGAHARA CHOPPER ANGLED
1.0 mm sharp blade, stainless
Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0329 **TI**


CHOPPER RIGHT
1.1mm cutting blade with ball 0.3mm dia,
stainless
Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0330 **Ti**


CHOPPER LEFT
 1.1mm cutting blade with ball 0.3mm dia,
 stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0331 **Ti**


CONNOR WAND ANGLED
 Tip with ball 0.5 mm dia, stainless
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0332 **Ti**

ROSEN PHACO CHOPPER / BECHERT NUCLEUS
 ROTATOR
 Chopper 1.0 mm long, stainless
 Angled "Y" shaped tip, stainless
 Round titanium handle



Overall length 132 mm, 5.2 inches

OPH-0333 **Ti**

ROSEN PHACO CHOPPER / CONNOR WAND
 Chopper 1.0 mm long, stainless
 Tip with ball 0.5mm dia, stainless
 Round titanium handle



Overall length 132 mm, 5.2 inches

OPH-0334 **Ti**

NICHAMIN CHOPPER / SINSKEY HOOK
 1.1mm chopper blade, stainless
 0.2mm dia hook, stainless
 Round titanium handle



Overall length 132 mm, 5.2 inches


OPH-0335 **Ti**

CHOPPER / SPATULA
 1.2mm chopper blade, stainless
 Spatula tip 0.25 × 0.2 mm, stainless
 Round titanium handle



Overall length 151 mm, 5.9 inches


OPH-0336 **Ti**

CHOPPER / SPATULA
 1.2mm chopper blade, stainless
 Spatula tip 0.4 × 0.4 mm, stainless
 Round titanium handle




Overall length 159 mm, 6.2 inches


OPH-0337 **Ti**

SEIBEL CHOPPER / SPATULA
 Spatula tip 0.25 x 0.2mm, stainless
 1.7mm blade with ball 0.5mm dia, stainless
 Round titanium handle




Overall length 142 mm, 5.6 inches



OPH-0338 **Ti**


SEIBEL CHOPPER / SPATULA
 Spatula tip 0.4 x 0.4mm, stainless
 1.7mm blade with ball 0.5mm dia, stainless
 Round titanium handle



Overall length 142 mm, 5.6 inches


OPH-0339 **Ti**

EYE SPATULA
 Angled blade 15 mm long, stainless
 0.5 x 0.3 mm wide
 Round titanium handle



Overall length 120 mm, 4.7 inches


OPH-0340 **Ti**

EYE SPATULA
 Angled blade 15 mm long, stainless
 1.0 x 0.3 mm wide
 Round titanium handle



Overall length 120 mm, 4.7 inches


OPH-0341 **Ti**

EYE SPATULA
 Angled blade 15 mm long, stainless
 1.5 x 0.3 mm wide
 Round titanium handle



Overall length 120 mm, 4.7 inches



OPH-0342 **Ti**

BARRAQUER CYCLODIALYSIS EYE SPATULA
 Angled and curved blade 15mm long,
 stainless
 0.5mm dia
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0343 **Ti**


EYE SPATULA
 Angled blade 10 mm long, stainless
 0.5 × 0.3 mm wide
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0344 **Ti**

IOL SPATULA NOTCHED
 Angled blade 13 mm long, stainless
 0.8 × 0.3 mm wide
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0345 **Ti**

CASTROVIEJO CYCLODIALYSIS
 SPATULA ANGLED
 Blade 6mm long, stainless
 Tip 0.3 x 0.25mm wide
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0346 **Ti**


EYE SPATULA
 Angled and curved blade 12mm long,
 stainless
 Tip 0.25mm dia
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0347 **Ti**

EYE SPATULA
 blade 11 mm long, stainless
 1.7 × 0.2 mm wide
 Round titanium handle



Overall length 120 mm, 4.7 inches

OPH-0348 **Ti**

PATON SPATULA & SPOON
 For corneal button transfer.



Overall length 163 mm, 6.4 inches

OPH-0349 **Ti**

DOUBLE ENDED EYE SPATULA
 Angle blades 12mm long, stainless
 Tips 0.5 × 0.3 mm and 1.0 × 0.3 mm wide
 Round titanium handle



Overall length 163 mm, 6.4 inches

OPH-0350 **TI**
EYE SPATULA / HOOK TITANIUM

Spatula tip 9mm long and 0.6 × 0.25 mm wide, stainless
 hook tip 0.2mm dia, stainless
 Round titanium handle



Overall length 163 mm, 6.4 inches


OPH-0351 **TI**
FEMTO LASIK FLAP SPATULA TITANIUM

Curved spatula 12.5 mm long,
 Tip 0.15 mm dia
 Delicate pick 1 mm long
 Instrument to open and manipulate the flap
 Round titanium handle



Overall length 135 mm, 5.3 inches


OPH-0352 **TI**
FEMTO LASIK FLAP SPATULA


Curved spatula 12.3 mm long, stainless
 Delicate pick 1.5mm long, stainless
 Instrument to open and manipulate the flap
 Round titanium handle



Overall length 135 mm, 5.3 inches


OPH-0353 **TI**
THORNTON REVOLVING 3/4 GLOBE FIXATION RING, TITANIUM

9 teeth to stabilize and rotate eye globe
 14 mm internal dia
 Can be used for AK, RK and clear corneal incision
 Round handle



Overall length 135 mm, 5.3 inches



OPH-0354 **SS**

LU-MENDEZ LRI GUIDE AND FIXATION RING
Marked in 10° increments with delicate
blunt teeth 11mm I.D.



Overall length 135 mm, 5.3 inches

OPH-0355 **SS**

GIMBEL STABILIZATION RING
With swivel handle 13mm diameter with
blunt teeth on both sides For stabilizing
either the right or left eye during LASIK.



Overall length 135 mm, 5.3 inches

OPH-0356 **SS**

FINE-THORNTON
Swivel Fixation Ring
conical teeth Features marks on anterior
surface in 15° increments as a guide for
placement of limbal relaxing incisions.
13mm diameter

OPH-0357 | 16mm diameter



Overall length 135 mm, 5.3 inches



conical teeth

OPH-0358 **SS**

FINE-THORNTON
Swivel Fixation Ring
flattened teeth 13mm diameter



Overall length 135 mm, 5.3 inches



flattened teeth

OPH-0359 **TI**

THORNTON GLOBE FIXATION RING
 multiple blunt teeth
 16mm diameter ring



Overall length 120 mm, 4.7 inches

OPH-0360 **TI**

HOFMANN-THORNTON GLOBE FIXATION
 Ring with swivel handle
 16mm diameter ring multiple blunt teeth



Overall length 135 mm, 5.3 inches

OPH-0361 **SS**

MENDEZ DEGREE GAUGE
 12mm I.D. marked in 10° increments
 For accurate axial alignment on the
 cornea.



Overall length 135 mm, 5.3 inches

OPH-0362 **SS**

BORES AXIS MARKER
 used with
 OPH-0361 Mendez degree gauge



Overall length 135 mm, 5.3 inches

OPH-0363 SS

OPTIC ZONE MARKERS

Bores 3.0mm

OPH-0364 | 3.25mm

OPH-0365 | 3.5mm

OPH-0366 | 3.75mm

OPH-0367 | 4.0mm

OPH-0368 | 4.25mm

OPH-0369 | 4.5mm

OPH-0370 | 4.75mm

OPH-0371 | 5.0mm

OPH-0372 | 6.0mm

OPH-0373 | 7.0mm

OPH-0374 | 7.5mm

OPH-0375 | 8.0mm

OPH-0376 | 8.5mm

OPH-0377 | 9.0mm



Overall length 120 mm, 4.7 inches

**OPH-0378 SS**

OPTIC ZONE MARKERS

Hoffer, with cross hairs 3.0mm

OPH-0379 | 3.25MM

OPH-0380 | 3.5MM

OPH-0381 | 3.75MM

OPH-0382 | 4.0MM

OPH-0383 | 4.25MM

OPH-0384 | 4.5MM

OPH-0385 | 4.75MM

OPH-0386 | 5.0MM

OPH-0387 | 5.5MM

OPH-0388 | 6.0MM

OPH-0389 | 7.0MM

OPH-0390 | 8.0MM

OPH-0391 | 9.0MM




Overall length 120 mm, 4.7 inches



OPH-0392 **SS**

FECHTNER
Trabeculectomy Marker



Overall length 120 mm, 4.7 inches

OPH-0393 **SS**

CASTROVIEJO CALIPER
20mm spread straight
OPH-0394 | Curved
OPH-0395 | Angled



Overall length 86 mm, 3.4 inches


OPH-0396 **SS**

BRAUNSTEIN CALIPER
stainless steel 3.0/3.5mm
OPH-0397 | 3.5/4.0mm



OPH-0398 **SS**

JAMESON CALIPER
ruler stainless



OPH-0399 **TI**

THORNTON RADIAL MARKER LOW PROFILE

4 blades, stainless

Round titanium handle

OPH-0400 | 6 blades

OPH-0401 | 8 blades

OPH-0402 | 10 blades

OPH-0403 | 12 blades

OPH-0404 | 16 blades



Overall length 120 mm, 4.7 inches

OPH-0405 **TI**

CASTROVIEJO CALIPER

20mm spread straight

Titanium



Overall length 86 mm, 3.4 inches

OPH-0406 **TI**

WILDER LENS LOOP


4mm wide 15mm curved loop, stainless

Round titanium Handle

OPH-0407 | 3.5mm wide



Overall length 120 mm, 4.7 inches



OPH-0408 **SS**

LOOP

3 × 11.5 mm, stainless

OPH-0409 | 4 × 11.5 mm, stainless

OPH-0410 | 4.5 × 11.5 mm, stainless

OPH-0411 | 6 × 11.5 mm, stainless




Overall length 130 mm, 5 inches




OPH-0412 **TI**

KELLY MEMBRANE PUNCH
 1mm dia, stainless
 Titanium Handle
OPH-0413 | 0.75mm dia




Overall length 128 mm, 5 inches



OPH-0414 **SS**

KELLY MEMBRANE PUNCH
 1mm dia,
 Stainless Steel
OPH-0415 | 0.75mm dia



Overall length 128 mm, 5 inches



OPH-0416 **SS**

LUNTZ-DODICK TRABECULECTOMY PUNCH
 1.0mm diameter head with bullet shaped
 tip for scleral tunnel insertion
 0.5mm deep bite



OPH-0417 **SS**

FUKASAKU MICRO TRABECULECTOMY PUNCH
 0.6mm diameter head with bullet shaped
 tip 0.3mm x 0.6mm deep bite, stainless
OPH-0418 | Titanium



Overall length 135 mm, 5.3 inches



OPH-0419 **SS**

MEYHOEFER CHALAZION
curette, sharp 0.5 mm

OPH-0420 | 1.0mm

OPH-0421 | 1.5mm

OPH-0422 | 2mm

OPH-0423 | 2.5mm

OPH-0424 | 3mm

OPH-0425 | 3.5mm

OPH-0426 | 4mm



Overall length 120 mm, 4.7 inches

OPH-0427 **SS**

LAMBART

Chalazion forceps, I.D. 8 mm



Overall length 9cm

OPH-0428 **SS**

LAMBERT

Chalazion forceps, I.D. 12 mm



Overall length 9cm

OPH-0429 **SS**

DESMARRES

Chalazion forceps, 20 mm

OPH-0430 | 26mm

OPH-0431 | 31mm



Overall length 9CM

OPH-0432 **SS**

HUNT
 Chalazion forceps, I.D. 12 mm



Overall length 10cm

OPH-0433 **SS**

BERKE
 Ptosis clamp 20mm
OPH-0434 | 27mm



Overall length 10.5cm

OPH-0435 **SS**

PUTTERMAN
 Forceps and clamp with 6 pins



Overall length 10cm

OPH-0436 **SS**

JAMESON STRABISMUS FORCEPS
 Locking, adult, angled **right** with 6 x 0.6mm
 teeth. 14mm tip to angle
OPH-0437 | Left



Overall length 10cm

OPH-0438 **SS**


JAMESON STRABISMUS FORCEPS
 Locking, child, angled right with 4 x 0.6mm
 teeth. 10mm tip to angle
OPH-0439 | Left



Overall length 10cm


OPH-0440 **SS**

FLIERINGA SCLERAL FIXATION RING
 set of eight, 15mm-22mm
OPH-0441 | 14mm diameter
OPH-0442 | 15mm diameter
OPH-0443 | 16mm diameter
OPH-0444 | 17mm diameter
OPH-0445 | 18mm diameter
OPH-0446 | 19mm diameter
OPH-0447 | 20mm diameter
OPH-0448 | 21mm diameter
OPH-0449 | 22mm diameter



OPH-0450 **SS**


DESMARRES LID RETRACTOR
 thin solid blades
 size 0, 11mm wide
OPH-0451 | size 1, 13mm wide
OPH-0452 | size 2, 15mm wide
OPH-0453 | size 3, 17mm wide



Overall length 135 mm, 5.3 inches

OPH-0454 **SS**

SCLERAL SHIELD
 small, 20 mm x 28 mm, pair, stainless steel
OPH-0455 | Big 22mm x 30 mm, pair



OPH-0456 **SS**

JAEGER LID PLATE
stainless steel



OPH-0457 **SS**

KNAPP LACRIMAL SAC RETRACTOR
4 prongs, stainless
7mm wide working part
Titanium Round Handle



Overall length 135 mm, 5.3 inches

OPH-0458 **SS**

SCHOCKET SCLERAL DEPRESSOR
double-end with pocket clip



Overall length 135 mm, 5.3 inches

OPH-0459 **SS**

Harms Trabeculotomy Probe
Right
OPH-0460 | Left



OPH-0461 **SS**

Bowman Lacrimal Probe malleable
stainless steel
set of 6

OPH-0462 | size 0000 & 000


OPH-0463 | size 00 & 0

OPH-0464 | size 1 & 2

OPH-0465 | size 3 & 4

OPH-0466 | size 5 & 6

OPH-0467 | size 7 & 8



OPH-0468 **SS**

INFANT LACRIMAL DILATOR
very fine blunt tip



OPH-0469 **SS**

WILDER LACRIMAL DILATOR
size 1 fine taper

OPH-0470 | size 2 medium taper

OPH-0471 | size 3 heavy taper





OPH-0472 **SS**

PIGTAIL PROBE
with suture holes



Overall length 120 mm, 4.7 inches


CANNULAS



OPH-0473 TI

ASPIRATION HANDPIECE FOR BIMANUAL
TECHNIQUE

One top port 0.35 mm
Tube 0.8 mm (21Ga), stainless
Round Handle Titanium




Overall length 105 mm, 4.1 inches

OPH-0474 TI

ASPIRATION HANDPIECE FOR BIMANUAL
TECHNIQUE

One top port 0.35 mm
Tube 0.7 mm (22Ga), stainless
Round Handle Titanium




Overall length 105 mm, 4.1 inches

OPH-0475 TI

ASPIRATION HANDPIECE FOR BIMANUAL
TECHNIQUE

Two side port 0.35 mm
Tube 0.8 mm (21Ga), stainless
Round Handle Titanium




Overall length 105 mm, 4.1 inches

OPH-0476 TI

ASPIRATION HANDPIECE FOR BIMANUAL
TECHNIQUE

Two side port 0.35 mm
Tube 0.7 mm (22Ga), stainless
Round Handle Titanium




Overall length 105 mm, 4.1 inches

OPH-0477 **TI**

ASPIRATION HANDPIECE FOR BIMANUAL
TECHNIQUE

One top port 0.3 mm
Tube 0.6 mm (23Ga), stainless
Round Handle Titanium




Overall length 105 mm, 4.1 inches



OPH-0478 **TI**

ASPIRATION HANDPIECE FOR BIMANUAL
TECHNIQUE

Two side port 0.3 mm
Tube 0.6 mm (23Ga), stainless
Round Handle Titanium





Overall length 105 mm, 4.1 inches




OPH-0479 **SS**

SIMCOE
Irrigation-Aspiration cannula, 23 ga,
0.3 aspiration



OPH-0480 **SS**

SIMCOE
Irrigation-Aspiration Reversed
cannula, 23 ga,
0.3 aspiration




OPH-0481 **SS**

BRINKHORST
 Cannula, 22-gauge straight
OPH-0482 | Right
OPH-0483 | Left



OPH-0484 **SS**

IRRIGATING CANNULA
 Bonn model, delicate




OPH-0485 **SS**

SHEETS
 Irrigating vectis cannula, 23 ga




OPH-0486 **SS**

KNOLLE-PEARCE
 Irrigating vectis cannula, 23 ga




OPH-0487 **SS**

HEALON
 Injection cannula, 21 ga




OPH-0488 **SS**

ENZYME
 cannula, 24 ga




OPH-0489 **SS**

KRATZ
 Capsule polisher, sandblasted, 23 ga




OPH-0490 **SS**

JENSEN
 Capsule polisher, olive tip
 sandblasted, 25 ga




OPH-0491 **SS** 

JENSEN
Capsule polisher, olive tip
sandblasted, 23 ga



OPH-0492 **SS** 

SIMCOE
Capsule polisher, sandblasted, 23 ga




OPH-0493 **SS** 

SIMCOE
Capsule polisher curved
sandblasted, 23 ga




OPH-0494 **SS** 

SIMCOE
Posterior capsule polisher curved, with
reversed aperture



OPH-0495 **SS**

SIMCOE
 Cortex extractor 21 mm, polish tip
 0.3 mm side port, 23 ga,



OPH-0496 **SS**

ANIS
 Cortex extractor straight, 23 gauge



OPH-0497 **SS**

FUKASAKU
 Anesthesia cannula, 24 ga




OPH-0498 **SS**

RANDOLPH
 Cyclodialysis cannula, 19 ga




OPH-0499 **SS** 

RYCROFT
 Air injection cannula 25 gauge



OPH-0500 **SS** 

RYCROFT
 Air injection cannula 25 gauge
 flattened horizontal



OPH-0501 **SS** 

LACHRYMAL CANNULA
 straight, conical



OPH-0502 **SS** 

BANGERTER
 Lachrymal Probe cannula, straight, 21 ga



OPH-0503 **SS** 

LACHRYMAL CANNULA
 straight, 8 mm, 23 ga




OPH-0504 **SS** 

LACHRYMAL CANNULA
 straight, 14 mm, 25 ga




OPH-0505 **SS** 

MCINTYRE
 Lachrymal cannula, straight, 23 ga
 0.3 mm side port




OPH-0506 **SS** 

MCINTYRE
 Lachrymal cannula, curved, 23 ga
 0.3 mm side port



OPH-0507 **SS**

BANGERTER
 Retrobulbar cannula




OPH-0508 **SS**

BISHOP-HARMON
 Anterior chamber irrigator set, 19 ga
OPH-0509 | 21 ga




OPH-0510 **SS**

LEWICKY
 Anterior chamber maintainer, 20 ga




OPH-0511 **SS**

HESLIN
 Anterior chamber irrigator, 23 ga



OPH-0512 **SS** 

GIMBEL
LASIK Fountain cannula, 25 ga left
OPH-0513 | Right




OPH-0514 **SS** 

BURATTO
LASIK Cannula




OPH-0515 **SS** 

FUKASAKU
LASIK Cannula, 23 ga




OPH-0516 **--**

STERILISATION TRAY, PLASTIC
Small
Dimension 160x90x20 mm





OPH-0517 **--**

STERILISATION TRAY, PLASTIC
Large
Dimension 250x160x20 mm



OPH-0518 **SS**

STERILISATION TRAY, PLASTIC
Double Layer large
Dimension 250x160x20 mm



Custom Design & OEM **Solutions**

At Trumex Instruments, we understand that no two surgeons or procedures are the same. That's why we offer full custom design support — helping you turn your ideas, drawings, or sample tools into functional surgical-grade instruments.

Whether you are a surgeon, hospital buyer, or brand manager looking to launch or expand your product line — our experienced OEM/ODM team is ready to support you at every step.

We Accept:

- Hand-drawn sketches or technical drawings
- Sample instruments for duplication or modification
- Reference catalogs and product photos
- Custom packaging and branding requirements

What You Get:

- Precise replication or redesign of instruments
- Flexible production volumes (from prototypes to bulk)
- Branding with your logo or private label
- Dedicated quality control for custom orders

Let us help you bring your instrument idea to life — with the same precision and craftsmanship trusted worldwide.

Can't Find What You Need?

Our catalog includes a wide range of premium ophthalmic instruments — but we understand that every surgeon has unique preferences and requirements.

If you didn't find the exact instrument you were looking for, please don't hesitate to contact us.

You can send us:

- Photos or sketches of your required instrument
- Technical specifications (length, tip size, handle type, etc.)
- Product pages or screenshots from other catalogs
- Reference item codes from previous purchases

Contact Information

Trumex Instruments

 Sialkot, Pakistan

 Email: info@trumexinstruments.com

 WhatsApp: [+92 337 6067140](https://wa.me/923376067140)

 Website: www.trumexinstruments.com

